# INDEX, 1971, Nos. 1-4

### NEW NAMES

Ameca splendens 1–13 Bullisichthys caribbaeus 718–721 Derilissus altifrons 291–294 Diaphus rolfbolini 39, 47–49 Etheostoma barbouri 18–26 Eustomias gibbsi 307–311 Geochelone hesterna 106–117 Gobiosoma yucatanum 432–439 Hygophum bruuni 39, 41–43 Lampanyctus fernae 39, 50–51 Lampanyctus simulator 39, 51–53 Loweina laurae 39, 45–47 Myctophum selenoides 39, 43–45 Notropis gibbsi 55–64 Notropis mekistocholas 449–462 Palatogobius paradoxus 27–35 Parapercis dockinsi 682–686 Protomyctophum beckeri 39–41 Protomyctophum chilensis 39–41 Sceloporus jarrovii cyanostictus 89–98 Springeratus xanthosoma 700–706 Thryssa gautamiensis 479–483 Umbrina milliae 300–306 Vomerogobius flavus 27, 31, 35–38

### NEW AND ESTABLISHED NAMES

Abudefduf abdominalis 298-299 saxatilis 330 Acanthonemus 188 Acanthostracion quadricornis 330, 471 Acanthurus chirurgus 330, 562 coeruleus 330 lineatus 562-563 monroviae 562 xanthopterus 563-564 Acipenser gueldenstaedti 408 Acris crepitans 82, 551-552, 748-749 gryllus 82, 84, 235 Acrocheilus alutaceus 270-271, 273-274, 279-280 Agalychnis annae 83, 85 callidryas 83-84 moreletii 83-84 spurrelli 83 Ageniosus porphyreus 477 Agkistrodon 376 contortrix 118-120, 123-128, 162-163, 235 piscivorus 235 Agonus acipenserinus 692 Alburnellus arge 477 jaculus 475-477 micropteryx 477 Alburnops 461 heterodon 476 plumbeolus 476 Alburnus oligaspis 476 Alepocephalus bicolor 343 longiceps 343 microlepis 343 Algansea 9-10 antica 476

Alligator

ИI

mississippiensis 559

Alloophorus 2 Amastridium 375-376 Ambloplites cavifrons 477 Amblyopsis rosae 716 Amblyrhynchus cristatus 550 Ambystoma maculatum 371 opacum 371 tigrinum 614-623, 743 tigrinum diaboli 743-746 tigrinum melanostictum 743-746 tigrinum nebulosum 614 Ameca splendens 1-13 Ameiva 373 ameiva praesignis 671 Ammocrypta 737 Amphibamus 763 Amphibolurus 527 barbatus 102-104, 209, 484-496, 498, 503 barbatus barbatus 484-496, 543-545 barbatus minor 533 fordi 371, 527, 533 inermis 129-137, 523 isolepis 129, 527-536 isolepis citrinus 528 isolepis gularis 527-529, 531-534 isolepis isolepis 528 isolepis rubens 528 isolepis subsp. 528 maculatus 527 "maculatus" 527, 530 maculosus 495 muricatus 495-496 pictus 495 reticulatus 136, 495-496 scutulatus 129 Amphiesma atemporalis 379 Amphignathodon guntheri 83-84 Amphiprion 326 Amphisbaena 375-376 alba 590, 593 fuliginosa 590, 593

A

Au

Au

Au

Au:

# INDEX, 1971, Nos. 1-4

### NEW NAMES

Ameca splendens 1–13 Bullisichthys caribbaeus 718–721 Derilissus altifrons 291–294 Diaphus rolfbolini 39, 47–49 Etheostoma barbouri 18–26 Eustomias gibbsi 307–311 Geochelone hesterna 106–117 Gobiosoma yucatanum 432–439 Hygophum bruuni 39, 41–43 Lampanyctus fernae 39, 50–51 Lampanyctus simulator 39, 51–53 Loweina laurae 39, 45–47 Myctophum selenoides 39, 43–45 Notropis gibbsi 55–64 Notropis mekistocholas 449–462 Palatogobius paradoxus 27–35 Parapercis dockinsi 682–686 Protomyctophum beckeri 39–41 Protomyctophum chilensis 39–41 Sceloporus jarrovii cyanostictus 89–98 Springeratus xanthosoma 700–706 Thryssa gautamiensis 479–483 Umbrina milliae 300–306 Vomerogobius flavus 27, 31, 35–38

### NEW AND ESTABLISHED NAMES

Abudefduf abdominalis 298-299 saxatilis 330 Acanthonemus 188 Acanthostracion quadricornis 330, 471 Acanthurus chirurgus 330, 562 coeruleus 330 lineatus 562-563 monroviae 562 xanthopterus 563-564 Acipenser gueldenstaedti 408 Acris crepitans 82, 551-552, 748-749 gryllus 82, 84, 235 Acrocheilus alutaceus 270-271, 273-274, 279-280 Agalychnis annae 83, 85 callidryas 83-84 moreletii 83-84 spurrelli 83 Ageniosus porphyreus 477 Agkistrodon 376 contortrix 118-120, 123-128, 162-163, 235 piscivorus 235 Agonus acipenserinus 692 Alburnellus arge 477 jaculus 475-477 micropteryx 477 Alburnops 461 heterodon 476 plumbeolus 476 Alburnus oligaspis 476 Alepocephalus bicolor 343 longiceps 343 microlepis 343 Algansea 9-10 antica 476

Alligator

ИI

mississippiensis 559

Alloophorus 2 Amastridium 375-376 Ambloplites cavifrons 477 Amblyopsis rosae 716 Amblyrhynchus cristatus 550 Ambystoma maculatum 371 opacum 371 tigrinum 614-623, 743 tigrinum diaboli 743-746 tigrinum melanostictum 743-746 tigrinum nebulosum 614 Ameca splendens 1-13 Ameiva 373 ameiva praesignis 671 Ammocrypta 737 Amphibamus 763 Amphibolurus 527 barbatus 102-104, 209, 484-496, 498, 503 barbatus barbatus 484-496, 543-545 barbatus minor 533 fordi 371, 527, 533 inermis 129-137, 523 isolepis 129, 527-536 isolepis citrinus 528 isolepis gularis 527-529, 531-534 isolepis isolepis 528 isolepis rubens 528 isolepis subsp. 528 maculatus 527 "maculatus" 527, 530 maculosus 495 muricatus 495-496 pictus 495 reticulatus 136, 495-496 scutulatus 129 Amphiesma atemporalis 379 Amphignathodon guntheri 83-84 Amphiprion 326 Amphisbaena 375-376 alba 590, 593 fuliginosa 590, 593

A

Au

Au

Au

Au:

## INDEX

gracilis 589–595	Bagre
mitchelli 593–594	marinus 263 Bairdiella
rozei 593 slevini 593	archidia 692
spurelli 593	chrysura 692
stejnegeri 593	Balistes
vanzolinii 589, 591, 593–594	nycteris 462–468
Amphistium 188	polylepis 692
Amphiuma	vetula 471
means 235	Balsadichthys 1
Anabas	xantusi 10
multispinis 185	Barbus
Anguilla 573	camptacanthus 476
Anguis 373	Basiliscus
Anisotremus	basiliscus 139–144
virginicus 330	Bathygobius
Anolis 373, 534	lineatus 692
auratus 670–671, 674 carolinensis 150, 197	Bathylagus milleri 560–562
carolinensis carolinensis 545	ochotensis 561
limifrons 674	wesethi 561-562
nebulosus 197–208	Bathytroctes
sagrei 197	kopua 447
tropidogaster 670-671, 674	(Bathytroctes) rostratus 441
Anoplopoma	rostratus 440
fimbria 692	Batrachoides
Anops 375	gilberti 437
Anotheca	Berycopsis 167
coronata 83-84	Blennius
Anthias 317	phycis 328
squamipinnis 414	Boa
Apeltes	constrictor 376 Bodianus
quadracus 418, 692	rufus 471
Aplodinotus grunniens 331–332	Boleosoma 737-738
Apogon 576	olmstedi var. brevipinnis 477
lachneri 575	Bollmannia 27, 33-34
pillionatus 293	boqueronensis 30-31
retrosella 692	Boobs
Apogonichthys	vulgaris 167
stellatus 477	Boopsetta
Apolectus	umbarum 343
niger 168	Borophryne
Apsilus 764	apogon 322
Aptycholaemus 375	Bothus
Argalia 375	ocellatus 677
Ariomma	Brachiurus
regulus 181	zebra 583
Arripis	Brachyrhaphis
trutta 167	cascajalensis 170
Aselichthys	episcopi 170
rhoderus 716–717 Aspidites	Brephostoma
melanocephalus 213	carpenteri 343
Astyanax	Bronia 375
fasciatus 285	Bufo 364, 566
Ataeniobius 7	americanus 545-548, 639, 750-751
toweri 10	boreas 145–147
Ateleopus	cognatus 751
indicus 343	fowleri 147 hemiophrys 751
Aulastomatomorpha	marinus 365
ceruleiceps 343	valliceps 148-150, 347-348
Austromenidia	vulgaris 418
regia 692	woodhousii fowleri 147, 362, 547, 750-751
Autisthes	Bullisichthys
puta 167	caribbaeus 718-721
Auxis	Bungarus
spp. 72–77	flaviceps 377
Tr	

Cadea 594	
Caiman 373	
sclerops 557-560	
Calamoichthys	
spp. 716	
Callicanthus	
hexacanthus 320	
Callisaurus	*00 *90 C10 C11
draconoides 129, 527,	529, 550, 610-611
Callitris huegelii 659–660	
Campostoma ,	
anomalum 334	
callipteryx 476	
gobioninum 476	
hippops 476	
mormyrus 476	
Canthigaster	
rostratus 471	•
Carangodes 188 Carangopsis 188	
Caranx	
caballus 692	
fusus 329	
hippos 175	
kalla 315	
marginatus 692	
Carapus	
bermudensis 730–731	
Carassius auratus 418, 689–690,	602 604
Carcharhinus	034, 031
leucas 190, 336-337	
longimanus 314-316	
Caretta	
caretta caretta 229	
Carettochelys 151, 229	
Caristius 188	
Carphophis	
vermis 148 Catonotus 20-22, 24-25	
lineolatus 18	
Catostomus	
catostomus 711	
columbianus 273, 275	, 278-280
columbianus hubbsi !	275
commersoni 711	
macrocheilus 271-27	4, 276, 279–280
platyrhynchus 280 Caudochelys 114	
Caulophryne jordani 322	
Centrophryne	
spinulosa 322-324	
Centropomus	
robalito 692	
Ceratias	
holboelli 322	
Ceratichthys 460	
cyclotis 476 hyalinus 475–477	
micropogon 476	
monachus 477	
plumbeus 476	
prosthemius 475-477	
Chaetodipterus	
Jaber 175	
Chaetodon	
cahistratus 330	

capistratus 330

leucopleura 766	
melanopoma 766	
striatus 330	
Chaeturichthys	
sciistius 15	
Chapalichthys encaustus 12	
Characodon	
lateralis 7, 10-11	
"Characodon"	
eiseni 10	
Chauliodus	
pammelas 343 Cheilichthys	
trichocephalus 570	
Cheilidoperca	
hirundinacea 416, 422	
Chelonia 373	
mydas 625-630	
mydas mydas 229-233	
Chelonoides 114–116 Chelus 373	
Chelydra 373	
serpentina 152, 550, 646, 650, 7	55-757
Chersodromus 375	
Chimaera	
monstrosa 583	
Chirostoma 1	
beryllinum 477	
jordani 9 Chologaster	
cornuta 235	
Chorististium 316	
Chromis	
chromis 299	
multilineata 298–299	
punctipinnis 299	
Chrosomus 460 eos 476	
erythrogaster 334	
oreas 477	
Chrysemys	
picta 537-542, 653	
picta belli 537-542	
rubviw utris 353–356 Cichlasona	
citrinetium 186	
managuense 186	
sp. 285, 347	
Citharichthys	
arctifrons 677	
macrops 677	
Claudius	
angustatus 151-152 Clelia 375	
Clemmys 373	
guttata 235	
Clinostomus	
margarita 475-477	
Clinus 698	
acuminatus 700	
nematopterus 697-699 xanthosoma 697-698, 701, 706	
Clupea	
pallasii 692	
Cnemidophorus	
cozumela cozumela 156	
cozumela maslini 156	
exsanguis 156–157	

fla fili ha ros xai

Croce

flagellicaudus 156
neomexicanus 156-158, 357-359
neomexicanus × inornatus 357-358
opatae 156
sonorae 156
tesselatus 156–158
tigris 218
tigris aethiops 144
tigris gracilis 596
tigris marmoratus 596
uniparens 156-158 velox 156-157
Codoma
trichroistia 63
Coleonyx
variegatus 218
Coluber 375
constrictor 118-119, 121-122, 125-127
constrictor constrictor 543
Conger 573
Conophis 375
Cophotis
ceylanica 495
Corallus
canina 376
Coregonus
artedi 380 clupeaformis 380
sardinella 380
Coris
julis 414-415, 420
Corvina
monacantha 477
Corynopoma
riisei 179-181
Coryphaena
hippurus 315
Coryphopterus
hyalinus 37
personatus 37
Corythoichthys profundus 319–320
Corythophanes 139
Corytophanes 376
Coitogaster
aurantiacus 477
Cottogobius
bii atus 343–344 Cottus
bairdi 270, 273, 277-280
bairdi punctulatus 277
bais di semiscaber 270, 277
carolinae 62
cognatus 692
confusus 280
hubbsi 277
rhotheus 277
ricei 711
Crenichthys
spp. 716
Cristiceps 501 504
aurantiacus 701, 704
flammeus 697, 702
filifer 697 halei 697, 702, 705–706
roseus 706
103etts 100

xanthosoma 701

Crocodilurus 375

Crotalus 375 horridus 118-120, 124-128 Crotaphytus 608 collaris 498, 503, 581 wislizenii 135 Cryosophila guargara 366 Cryptobatrachus evansi 83-84 fuhrmanni 79, 83-84 Cryptopsaras couesi 322 Cryptosmilia luna 477 Ctenochaetus strigosus 563 "Ctenochaetus" "striatus" 583 Ctenopoma multispinis 185 Ctenosaura 373 hemilopha 548-550 Ctenosciaena gracilicirrhus 300-306 Ctenotus 765 pantherinus ocellifer 531 Culaea inconstans 707, 710-712, 715-716 Cyclanorbis senegalensis 152 Cyclopsetta chittendeni 335-336 decussata 335-336 Cymatholcus 106, 114-116 Cynoscion nebulosus 331, 692 nothus 331 Cyprinella 55, 58 cercostigma 477 Cyprinodon diabolis 588, 716 macularius 413 nevadensis 716 Cyprinus cartie 15, 278, 60 689-690 Cypseiurus bahiaensis 692 Dactylopterus orientelis 320 Dasyatis americana 340-341 brevicaudatus 338-340

Dactylopterus
orientelis 320
Dasyatis
americana 340-341
brevicaudatus 338-340
centroura 338-340
hastata 340
kuhli 583
rudis 338-341
thetidis 338-340
Dasycottus
setiger 692
Dascyllus
albisella 299
aruanus 299, 324-327
Dendralaphis 377
Dendralophis 380
Dendrobates
galindoi 366
granuliferus 365-369

Ei

E

Eu

Eu

S

t

t

n Eve

Eut

Exe

Fist

Flee

to

Fun

h

Gad

Gan

m

m

af

hi

m

re

vii

scl

sp

Garr

Gart

Gast

Gast

Gasti

act

car

bo

cor

ma

mo

ovi

plu

py

rio

tae

Gavie

Egernia 765 Dendrophis 380 striolata 659 Dendrophysa Elaphe dussumieri 300, 302 obsoleta 118-121, 125-127, 581 hooghliensis 301 taeniura 379 russelli 301 Eleotris Derilissus radiata 731 altifrons 291-294 kremnobates 292-294 Eleutherodactylus 365 nanus 291-294 mexicanus 33 Elops vittiger 292-294 machnata 766 Dermatorus Emydoidea 373 melampeplus 343 Engraulis Dermochelys 151 duodecim 477 coriacea 624-630 Engystomops 365 Desmognathus 33 Enhydris aeneus 636, 641, 643 innominata 377 auriculatus 235, 244, 636-637 Enneacanthus fuscus 345-347, 636-642 fuscus auriculatus 642 \* obesus 235, 415 Enteromius fuscus brimleyorum 642 potamogalis 475-477 monticola 636-642 ochrophaeus 636-643 ocoee 636 flavitorques 351 quadramaculatus 636, 638-642 oligostichus 350-351 Envalius 375 wrighti 636, 638, 641, 643 Epinephelus 417-418 Diadophis morio 414-415 punctatus 102, 235 striatus 469-471, 473 Diaglena Eretmochelys reticulata 82 imbricata imbricata 229 Diaphorolepis 375 Ericymba Diaphus effulgens 49 buccata 334 Erotelis fragilis 48 rafinesquei 48 rolfbolini 39, 47-49 smaragdus civitatum 164 smaragdus smaragdus 164 theta 48 Esox Dibranchus americanus 235 lucius 711 nudiventer 343 Etelis 764 Dicentrarchus Etheostoma 21-22, 24-25 labrax 742 punciatus 741-742 barbouri 18-26 Dicrolene 266 hellum 26 blennioides 26 Dierochelys caeruleum 26, 332-334 reticularia 647 Diogenichthys exile 712 panurgus 343 flabellare 18, 26 Dionda 449, 460 kennicotti 18 nubila 334, 460 macrocephalum 477 nigrum 26, 737 Diplacanthapoma 266 Diplodactylus obeyense 18-26 vittatus 634, 662 olmstedi 737 (Ulocentra) sp. 26 Diplomystus 695 (Oligocephalus) spectabile 737 Dipsas 375 spectabile 26 Dipsosaurus dorsalis 129-137, 218, 359-361, 503, 550, 552-554 squamiceps 18, 26 stigmaeum 26 Doration 737 variatum 737 Dorosoma chavesi 186 virgatum 18-26 (Ioa) vitreum 735-738 Dracaena 375 zonale 26 Drepanoides 375 Dryadophis 376 Etropus crossotus 677 Ductor 188 microstomus 677 Eucalia inconstans 692 Echeneis

Echeneis naucrates 692 Echinosaura 375 Edriolychnus schmidti 322 Eumeces egregius 675 Eumecichthys kiskii 716 Eupomacentrus dorsopunicans 330 partitus 471 variabilis 330 Eurycea bislineata 244, 366 longicauda 245 multiplicata 244 quadridigitata 234, 244-245 Eusthenopteron 763 Eustomias bifilis 307 bigelowi 307 bulbornatus 307 enbarbatus 307-308 gibbsi 307-311 longibarba 307-310 macrurus 307 melanobolus 308 melanostigma 308 patulus 307-310 schmidti 307 simplex 307 tenisoni 307 trewavasae 307 Euthynnus alletteratus 72-77 Evermannichthys 437 Exellia 188

Fistularia tabacaria 471 Flectonotus goeldii 83 Fundulus heteroclitus 15, 686, 689–690

macrocephalus 692 morrhua 15 Gambusia affinis 418 gaigei 566-569 hurtadoi 566-569 marshi 566-569 nobilis 566-569 regani 566-569 vittata 566-569 Garmannia schultzi 432 spes 432 Garthia 375 Gasterosteus aculeatus 380, 692, 707, 709, 715 Gastrophryne 364 carolinensis 351-353 Gastrotheca boliviana 83-84 cornuta 83-84 marsupiata 83-84 monticola 83-84 ovifera 83-84

plumbea 83-84 pygmaea 83-84

taeniola 343

riobambae 83–84 Gavialiceps Gehyra variegata 634, 658, 661-662 Genypterus 264 Geochelone carbonaria 106, 110-112, 115-116 chilensis 106, 110, 112-113, 115-116 costaricensis 113-116 denticulata 106, 108, 110-112, 115-116 elephantopus 110, 115-116 elongata 113-114 emys 115 eocenica 115 forsteni 114 gringorum 106, 112, 115-116 Chelonoides) hesterna 100 hesterna 106-116 impressa 115 majusculus 114 Geophis 375 Gephyrocharax atracaudatus 180 caucanus 180 intermedius 179 melanocheir 179-180 Gerrhonotus multicarinatus 114, 218, 498 Gila 190 bicolor 273, 280 cypha 34 elegans 34 Gillichthys mirabilis 171-173 seta 171-173 Girardinichthys 1 multiradiatus 11 viviparus 10-11 Girella nigricans 167 Gobiesox fulvus 692 maean dricus 692, 695 Gabiomorphus huttoni 731 radiatus 731 Gobiomorus dormitor 186 Gobiosoma homochroma 437 (Garmannia) robustum 437 schultzi 432-434, 438-439 (Garmannia) spes 32, 438 spes 432-435, 438-439 (Garmannia) yucatanum 432-439 Gobius dolichocephalus 477 Gonatodes albogularis fuscus 670-675 vittatus 659 Gonioplectrus hispanus 317 Gonorhynchus 685 Goodea 2, 9-10 whitei 10

Gopherus 115-116

Grahamichthys radiatus 731

Graptemys

polyphemus 755

geographica 760-761

Gunterichthys longipenis 164-166 Gymnapistus affinis 343-344 Gymnocottus tricuspis 692 Gymnopthalmus speciosus 670-675 Gymnothorax 570-573 castaneus 571 favagineus 175 funebris 573 petelli 571 pictus 570-574 schistmatorhynchus 175 undulatus 175 Gymnotus 380 Gyrinophilus 234 porphyriticus 244-245 .

Hadrianus 106, 114-116 Haemulon album 471, 473 aurolineatum 330, 565 flavolineatum 330 melanurum 330 parrai 330 plumieri 328-330 sciurus 330 sp. 329 Halichoeres bivittatus 469, 471-472 garnoti 330, 469, 471-472 Helicolenus dactylopterus 577-578 dactylopterus dactylopterus 577 dactylopterus lahillei 577-578 mouchezi 576-578 percoides 577 tristanensis 576-577 Helicops 376 Heloderma 375 Hemidactylium 234 scutatum 244-245, 366 Hemidactylus frenatus 631-635 garnotii 152-154 mabouia 152 turcicus 634 Hemiergis 555-556 Hemioplites simulans 477 Hemiphractus panamensis 83 scutatus 83-84 Hesperotestudo 114-116 Heterodon 373 Heteronotia binoei 659, 661 Heterophallina 568 Hexagrammos decagrammus 692 Hierops 40 Hippoglossina oblonga 676-681

Histiophorus

brevirostris 766

Holacanthus ciliaris 330, 471 multispinis 766 Holocentrus 168 suborbitalis 692 Holtbyrnia 441, 443, 445 macrops 444 melanocephala 440 sp. 444-445 Homonota 375 Hubbsina 1, 11 turneri 11 Hybognathus nuchalis 334 procne 476 stramineus 476 volucellus 476 Hybopsis 9-10 amblops 334 bifrenatus 477 biguttata 334 chalybaeus 477 fretensis 477 gracilis 334 haematurus 475-477 lacertosus 477 longiceps 477 phaënna 476 rubricroceus 477 spectrunculus 477 storeriana 334 tuditanus 475-477 x-punctata 460 Hyborhynchus 460 superciliosus 477 Hydromorphus 375 Hydrophis cyanocinctus 349 melanocephalus 349 ornatus 349 Hydrophlox 460 Hygophum bruuni 39, 41-43 hanseni 41, 43 Hyla adelaidensis 82 ambionensis 84 andersoni 82, 84 annectans 81, 84 arborea 82, 84 arenicolor 82, 84, 379 arfakiana 85 aurea 82, 84, 86 avivoca 82, 84 berthae 82 berthalutzae 83-84 bistincta 84 bromeliacea 83, 85 brunnea 83-84 burrowsi 82, 84 caerulea 82 carnifex 84 cadaverina 379 chaneque 85 chinensis 84-85

cinerea 82, 84, 547

colymba 85

congenita 84

1

li

n

n

n

27

17

11

n

00

pe

pe

pl

pl

pi

pe

ra

ra

rie

riz

ro

ros

ru

sar

sar

sin

sm

sm

sp.

squ

squ

sur

tae

une

ura

vas

ver

ver:

will

wis:

wri

zete

crucifer 82, 84 darlingtoni 84 decipiens 83 dentata 82 dominicensis 85 ebraccata 81, 83-84, 365 elaeochroa 84 everetti 81, 84 ewingi 82, 84, 86, 154-156 faber 83, 86, 366 femoralis 82, 84 fuscovaria 82, 84 geographica 85 glauerti 82, 85 gratiosa 82, 84 heilprini 85 infrafrenata 81, 84 iris 83-84 1ervisiensis 82, 84 lancasteri 83 latopalmata 82 lesueuri 82, 85-86 lichenata 83-84 marioni 83-84 microcephala 82, 84 microps 84 minuta 84 moorei 82 moraviensis 84 nana 82, 84 nannotis 85 ocularis 84 barkeri 82, 84 pearsoniana 82 peroni 82, 84 phlebodes 82, 84 phyllochroa 82, 84 picta 84 polytaenia 82 pseudopuma 85 raddiana 82 raniceps 85 regilla 82, 84, 379 rivularis 85 rizibilis 82, 85 robertsorum 84 rosenbergi 79, 83, 85-86 rubella 84 sanborni 82 sanchiangensis 84 simplex 84 smaragdina 85 smithi 82 sp. of Stuart (1948) 85 squalirostris 82 squirella 82, 84 sumichrasti 82, 85 taeniopus 84 thesaurensis 84 underwoodi 84 uranochroa 83, 85 vasta 83, 85-86 verreauxi 82, 84, 154-156 versicolor 82, 84, 379 wilderi 83-84 wisselensis 84 wrightorum 82, 84

zeteki 83-84

Hylactophryne augusti 368 Hymenochirus boettgeri 369 Hyostoma blennioperca 477 simoterum 477 Hyperoglyphe 167 bythites 732-735 perciformes 732-734 Hyperprosopon argenteum 692 Hypomesus japonicus 15 pretiosus 15 Hypsilepis 479 ardens 475-477 coccogenis 475-477 cornutus cerasinus 477 cornutus cyaneus 477 cornutus gibbus 477 galacturus 477 Hypsypops rubicunda 295-299 Hysteronotus megalostomus 181

Ichthyomyzon
castaneus 178
fossor 178
unicuspis 178
Ictalurus
dugesi 9
melas 278
nebulosus 278, 686, 689–690
punctatus 278
Iguana 373, 375
iguana 102–104, 550
Ilyodon 1–2
furcidens 10
Indotestudo 114–116
Iphisa 375
Ischikavia 190

Johnius amblycephalus 300, 302 dussumieri 300

Katsuwonus pelamis 72–77 Kentuckia 168 Kinosternon 151 Kuhlia malo 167 taeniura 692 Kyphosus sectatrix 167

Labeobarbus aureus 477 Labidesthes sicculus 342 Labrus merula 419 Lachesis 375 Lachnolaimus maximus 330-331, 471, 473 Laemanctus 139, 375-376 Lagocephalus hypselogeneion 320 Lampanyctus fernae 39, 50-51 fraser-brunneri 343 jordani 53 ritteri 51 simulator 39, 51–53 Lampetra 722, 725–728 aepyptera 177 lamotenii 722 lamottei 177-178 wilderi 722, 725 Lampropeltis calligaster 118-119, 121, 123, 125-127 getulus 235 Larimus acclivis 692 Laticauda colubrina 348-349 laticaudata 348-349 semifasciata 348-349 Leiostomus xanthurus 331 Lepidochelys kempii 229 olivacea 625-630 Lepidodactylus lugubris 671 Lepidogobius 33 Lepidophyma reticulatum 555 Lepomis anagallinus 477 ardesiacus 477 charybdis 477 gibbosus 278 gillii 477 longispinis 477 macrochirus 278 nephelus 477 ophthalmicus 477 Leposoma rugiceps 670-675 southi 674 Leposternon 376 Leptodactylus insularum 366 melanonotus 366 pentadactylus 364-365 poecilochilus 365 Leptodeira 375 Leptomicrurus 375 Leptophis modestus 376 Leptotyphlops 376 Lermichthys 1, 10 Lestidiops 740 Leuciscus 476 ardens 476-477 coccogenis 476 copii 476 haematurus 477 margarita 476

photogenis 476

spilopterus 476

telescopus 476 tuditanus 477 Leurognathus 33 marmoratus 636-642 Leuroglossus stilbius 561 Lialis 766 burtoni 533 Liasis amethistinus 209-211, 217-218 childreni 212 Linophryne arborifera 322 argyresca 322 Liolaemus 375 Liopropoma aberrans 316 carmabi 293 mowbravi 317-318 rubre 317-318 Liparis callyodon 692 Liparoides beauchampi 343 Lophogobius cyprinoides 437 Loweina laurae 39, 45-47 rara 45, 47 Luetkenia astrodermi 182 Lupinoblennius dispar 437 Lutjanus analis 471, 764 apodus 330, 764 brachypterus 764 cyanopterus 764 griseus 330, 565, 764 guttatus 692 jocu 764 mahogoni 764 synagris 764 viridis 692 Luvarus imperialis 181 Luxilus 460 Lycodon paucifasciatus 377 rohstrati 379 Lygosoma decresiensis 554-556 entrecasteauxi 554-556 laterale 498 metallicum 555-556 mustelinum 555-556 quoyi 554-556 Mabuya

M

M

Mi

Me

Me

Me

Mé

Me

Me

7

7

S

S

a

li

Se

S

Mei

Mic

Mic

Mic

Mic

Mic

Min

Mol

Mol

Mol

Mon

Mon

Mon

Mon

Mon

Mor

all

sp

sp

ch

(T

cef

More

Mox

Mug

Mure

Myct

spp

lo

m

he

ci

g

e

m

u

de

sa

Me

Me

Mabuya mabouya 671 Macroclemys temmincki 645–658 Macroparalepis 740 Macrurus brevirostris 343 hextii 343 hispidus 343 investigatoris 343 Maculisudis

longipinnis 740 rothschildi 740 Maena maena 414 Malacanthus plumieri 469, 471-473 Manouria 114-115 Mastigordryas 376 Maulisia 441-442 mauli 440-441 Megalocottus platycephalus 692 Melaniris chagresi 341-342 Melanocetus johnsoni 322-324 Melichthys buniva 463 niger 462-468 nycteris 465-467, 469 radula 463 sp. 462 vidua 462-468 Menidia sp. 692 Menticirrhus 301-303 americanus 331 littoralis 331 saxatilis 331 sp. 302 Mentodus rostratus 440 Microcephalophis gracilis 379 Microgobius 27, 33-34 emblematicus 34 microlepis 30-31 Micropogon undulatus 331-332 Micropterus 696 dolomieui 278, 692 salmoides 278, 692 Micrurus 375-376 Minous longipinnis 343-344 Mola mola 182 Mollienesia 282 Moloch horridus 129 Monacanthus ciliatus 692 Monachelys 114 Monocentrus 685 Monomitopus 266 Monopterus albus 414-415, 419-420, 424 Morelia spilotes 209-219 spilotes variegata 211 Morone chrysops 318 Moxostoma (Thoburnia) atripinnae 26 cephalus 692 Muraenichthys 685

Mycteroperca spp. 471 Myctophum lynchnobium 343 selenoides 39, 43-45 selenops 45 Myrichthys 573 Myripristis occidentalis 692 naja 377, 380 Narcetes erimelas 343 Narcine mollis 343 Naso annulatus 321 fageni 321 incipiens 321 lituratus 563 lopezi 320-321 tuberosus 321 unicornis 321 vomer 320 Natrix fasciata 235 percarinata 379 rhombifera 101-103 rigida 235 sipedon 118-120, 125-128 Naucrates ductor 314-316 Neoceratias spinifer 322 Neoseps 674 reynoldsi 675 Neotoca 1, 11 Neusticurus 375 Nocomis leptocephalus 460 micropogon 460 Notemigonus 190 c(h)rysoleucas 334 Nothopsis 375 Nototheca fissilis 83 Notropis 9 alborus 449, 452-455, 457-461 analostanus 63 anogenus 449, 460 bairdi 461 blennius 461 callistius 62 chrosomus 62, 460 chrysocephalus 334 cornutus 334, 460 dorsalis 334 gibbsi 55-64 heterolepis 459, 461 hudsonius 459 leuciodus 460 longirostris 461 (Cyprinella) lutrensis 63 mekistocholas 449–462 nubilus 460 photogenis 474, 477-478 procne 449-461 pyrrhomelas 63 rubellus 478 sp. 459, 461

spilopterus 474, 477-478 stramineus 449, 461 texanus 461 (Cyprinella) trichroistius 55 trichroistius 55-63 umbratilis 334 uranoscopus 461 venustus stigmaturus 62 volucellus 455, 459, 461 whipplei 63 xaenurus 63 Nyctimystes montana 81-82, 85 semipalmata 81-82, 85 Nystactichthys halis 473

Ocvurus chrysurus 330, 471-473, 764 Oedura ocellata 658-669 Oligodon macrurus 377 Ollentodon 1, 11 Oncobalistes erythropterus 462-463, 466-469 Oncorhynchus gorbuscha 692 nerka 278 Ophidion barbatum 266 holbrooki 259, 266 rochei 266 Ophisaurus ventralis 144 Ophryoessoides 375 Opipeuter 375-376 Opistognathus aurifrons 469-473 Opsariichthys 189 Oryzias latipes 418, 421-423 eperlanus 380 Osteocephalus taurinus 82 Ostracion 583

Pachymedusa dacnicolor 83-84 Pachynathus nycteris 462-463, 466-469 Pagellus erythrinus 414 Palatogobius paradoxus 27–35 Paleatogobius 34 Palinurichthys 167 Pallidogobius 34 Parabarbus 189 Paracanthurus hepatus 563 Paracristiceps filifer 697 Paradicrolene vaillanti 343-344

Oxybelis 375-376

Oxyrhopus 375

Paraholtbyrnia 441, 443 cyanocephala 440-441 Paralabrax clathratus 318 Paralichthys 676 albigutta 680, 729 dentatus 677, 680, 729 lethostigma 680, 729 oblongus 680 squamilentus 729 Paranthias furcifer 293 Parapercis atlanticus 682 chilensis 682 dockinsi 682-685 elongata 682 gilliesi 684 jugularis 682 multifasciata 682 muronis 684 ramsayi 684 sexfasciata 682 Parascombrops pellucidus 343 hamptoni 379 Parupeneus chrysonemus 320 Pelamis platurus 348-350, 375 Pelates sp. 167 Pelomedusa 151 Pelusias 151 Perca aberrans 316 flavescens 15 fluviatilis 15 Percina (Hypohomus) sp. 26 (Imostoma) uranidea 737 Percis xanthopterus 766 Percopis omiscomaycus 692 Persparsia 440-442 kopua 440, 445, 447 taaningi 440-441, 447-448 Petraites 692 fasciatus 701, 704 flammeus 702 nasutus 701 Petromyzon marinus 176-178, 722-728 Pfrille 460 Phaeognathus hubrichti 636-638, 641-643 Philypnus dormitor 186 Phimophis 375 Photocorynus spiniceps 322 Photogenis 474 ariommus 475-477 leuciodus 477 leucops 474-478

leucops engraulinus 477-478

scabriceps 477

P

PI

Pl

Ph

Ph

Ph

27

r

S

Ph

Pin

Pin

Pin

b

(

a

11

n

Pte

v

p

ca

Ca

m

Plac

Plat

Plat

Plat

Pleti

Pleci

me

sag

for

for

Plica

Plioc

Podo

ste

gu

ne

joi

Pipe

Pitu

spilopterus 475–477	Poecilia 170
telescopus 476–477	butleri 282–290
Phoxinus 460 laevis 15	butleri × sphenops (reciprocal crosses) 285–290 butleri × (sphenops × butleri) 286
neogaeus 475–477	formosa 282
phoxinus 415–416, 422	formosa × mexicana 284
Phrynohyas	latipunctata 282
venulosa 79, 81-82, 85	latipunctata × mexicana 282
Phrynomerus	mexicana(us) 282, 284
bifasciatus 160–161	reticulata 390
Phrynosoma	sphenops 282–290
cornutum 148–150, 498–504	sphenops × (sphenops × butleri) 286
coronatum 217	Poecilichthys zonalis 477
douglassii 498–504 platyrhinos 129	Poeciliopsis 9
Phycis 327–328	infans 1, 9–10
phycis 328	viriosa 10
Phyllobates	Polydactylus
trinitatis 366	approximans 692
Phyllodytes	Polymixia
luteolus 81, 83, 85	nobilis 167–168
tuberculosus 81, 83, 85	Polypterus 763
Phyllomedusa	Pomacanthus
ayeaye 84	arcuatus 330–331, 471 Pomatomus
callidryas 365, 369	saltatrix 167
cochranae 84 fimbriata 83–84	Pomoxis
guttata 84	annularis 278
hypochondrialis 83–84	Pontinus
iheringi 83	nematophthalmus 293
rohdei 83–84	Porteridia 682
sauvagei 83	Potamocottus
Phyllopezus 375	bendirei 277
Pimelepturus	Priacanthus
boscii 167	arenatus 176
Pimelodus 695	spp. 320 Prionodactylus 375–376
(Rhamdia) brachypterus 477	Prionurus
Pimephales 460	laticlavius 563, 565
agassizii 477	Pristipomoides 764
milesii 476	microlepis 320
notatus 334, 461	Profundulus
promelas 169, 334, 712	punctatus 285
tenellus 334 vigilax 334	Prolatilus
Pipa	juglaris 682
pipa 369	Prosopium
Pituophis 375	williamsoni 273 Prostherapis
catenifer affinis 98–105	panamensis 366
catenifer sayi 102–103	sp. 365
melanoleucus 118–120, 125–127, 752–754	Protomyctophum 40
Placosoma 375	beckeri 39–41
Platichthys	chilensis 39-41
stellatus 692	crockeri 39
Platygobio	crockeri ssp. 39
gulonellus 476	Psammosaurus .
Platypoecilus	caspicus 143
nelsoni 284	Pseudacris
Plethodon	brachyphona 82 brimleyi 84
cinereus 161-162	clarki 82, 84
jordani 369	nigrita 366
Plectrohyla	streckeri 82
matudai 84	triseriata 82, 84
sagorum 84	Pseudemys
form Y of Stuart (1942) 84	floridana 550
form Z of Stuart (1942) 84	floridana mobilensis 630
Plica 375-376	scripta 354-355
Pliocercus 376	scripta elegans 150, 760-761
Podocnemis 151	Pseuderyx 375

Sacura

Salmo

margaritacea 416, 422

schnakenbecki 445-446

abei 440, 442-446

Sagamichthys 440-442, 445-446

Pseudoboa 375 Pseudobranchus striatus 247-252 Pseudocorynopoma doriae 179-180 Pseudopriacanthus altus 176 Pseudorhombus oblongus 676 Pseudotomodon 375 Pseudotriton 234 montanus 235, 244-245 ruber 244-245 Pseudupeneus maculatus 471 Pternohyla fodiens 82, 84 Pterobrycon landoni 179-181 Pterois volitans 583 Ptychocheilus oregonensis 270-274, 276, 279-280 Ptychohyla chamulae 85 euthysanota 85 ignicolor 85 leonhardschultzei 85 schmidtorum 85 spinipollex 85 Pungitius 710 platygaster 708 pungitius 692, 707-717 pungitius tymensis 712 Python reticulatus 209

Rachycentron canadum 65-71 Raja mamillidens 343 philipi 343 Rana 643 areolata 514 catesbeiana 150, 362-363, 515, 748, 751-752 clamitans 224, 227, 365-366 dunni 505, 509-515 megapoda 505, 509-515 montezumae 505, 509-515 palustris 514 pipiens 150, 221-228, 235, 255, 258, 344, 352-353, 356, 366, 505-515, 557, 747-748 pipiens berlandieri 506, 508-509 pipiens pipiens 506, 508, 514 pipiens sphenocephala 506, 508–509 ridibunda 382 septentrionalis 255 sylvatica 253-258, 344, 368 virgatipes 235 Remora remora 314 Rhabodophis subminiata 380 Rhadinea 376 Rhina ancylostoma 338 Rhinichthys

atratulus 63, 334

cataractae 272-273, 276, 280

lunatus 476 maxillosus 476 osculus 273-275, 277, 279-280 Rhinoptera bonasus 190 Rhomboidichthys azureus 343 Rhomboplites 764 Richardsonius balteatus 270, 272-273, 276 balteatus balteatus 273-274 balteatus hydrophlox 273-274, 280 Richia 18 brevispina 18 Richiella 18 Risor 437 Rissola marginata 259-267 Rivulus 428 cylindraceus 390 marmoratus 389-432 Ruboralga cardinalis 583

Scl

Sci

Sci

Sco

Sea

6

A

1

Seb

C

d

11

0

Seb

Seb

Sen

Sen

Seri

Serr

e

to

ti

m

Sim

Sipl

Sire

Skif

in

la

le

va

bo

cy

pl

pu

sil

SO

Sord

Spale

Spar

Spele

Spha

Spha

Sphe

Spho

br

eri

an

ful

tri

ens

Sphy

Sprin

cli

au

Smil

Sibe

p

a

clarkii henshawi 278 gairdneri(i) 169, 174, 273, 275, 277-280, 712 Salvelinus fontinalis 274, 278, 712 fontinalis × namaycush 712 Sator grandaevus 134 Sauromalus obesus 142-143, 498, 552-554 Scaphiopus hammondii 366 holbrookii 366 Scarus coelestinus 330 coeruleus 473 Scatophagus 188 Sceloporus clarkii 142-143 cyanogenys 93, 97 graciosus 611-612 grammicus disparilis 96 jarrovii 89-90, 93, 96-97 jarrovii cyanostictus 89-98 jarrovii erythrocyaneus 94 jarrovii immucronatus 94, 96 jarrovii jarrovii 90-91, 94-97 jarrovii lineolateralis 90-91, 93-96 jarrovii minor 94, 96 jarrovii oberon 90, 93-96 magister 141–143, 218, 552–554 malachiticus 517–526 malachiticus malachiticus 517-526 ornatus ornatus 93 poinsettii 93, 97 poinsettii poinsettii 93 torquatus 89, 93, 97 undulatus 522-523, 531

Schultzea 718-719
Sciaena
dubia 303 Scianectes
lophoptera 343–344
Scophthalmus
aquosus 677 Searsia 441–442 445
Searsia 441–442, 445 koefoedi 440
polycaeca 440
schnackenbecki 440, 445
Sebastes capensis 576, 578–579
dactylopierus 577
mouchezi 576–577
oculatus 578–579 percoides 577
Sebastichthys
capensis 576
Sebastodes 579
Seminatrix pygaea 235
Semotilus
atromaculatus 334
Seriola 188
dumerili 330 Serranus 317-718–719
Serranus 317, 718–719 erythraeus 766
tabacarius 471–472
tigrinus 471
Sibon 375 Sicydium
multipunctatum 285
Simenchelys
parasiticus 312–314
Siphlophis 375 Siren
intermedia 235, 247
lacertina 247
Skiffia 9-10
lermae 1, 8, 11 variegata 1, 11
Smilisca
baudini 82, 84
cyanosticta 79, 82, 84 phaeota 84, 365
puma 84
sila 84
sordida 84
Sordellina 375 Spalerosophis
cliffordi 545, 754–755
Sparus
auratus 418
Spelerpes 763
Sphaenorhynchus bromelicola 81, 84
Sphagomorus
erumei 477
Sphenodon 373
Sphoeroides
annulatus 570 furthii 569–570
trichocephalus 569-570
Sphyraena
barracuda 332
ensis 692 Springeratus
xanthosoma 697-698, 700-706

Squalius hyalope 476 photogenis 471, 477-478 proriger 476 Staurotypus salvinii 151 Stellifer lanceolatus 331 Stemonosudis bullisi 740 distans 740 elegans 740 elongata 740 gracilis 740 intermedia 740 longipinnis 740 macrura 740 miscella 740 molesta 740 rothschildi 738-740 siliquiventer 740 similis 740 Stenocercus 376 Stereochilus marginatus 234-246 Sternothaerus 151 odoratus 647-648 Stizostedion vitreum 711 Storeria 375 Strobilurus 375 Stylemys 113-114, 116 Synanceja horrida 583 verrucosa 583 Syngnathus 319 Synodus spp. 471-472 Syrrhophus marnockii 366, 368 Taeniura grabata 341 Takydromus tachydromoides 389 Tantilla 148 gracilis 148-149 Tarpon atlanticus 341 Teratoscincus 373 Teretulus cervinus 477 Terrapene 373 carolina carolina 758-760 carolina triunguis 755-756 ornata 647-648 ornata ornata 760-761 Testudo (= Stylemys) amphithorax 113 costaricensis 111, 113-115 gringorum 111, 113 Tetraodon furthii 570 geometricus 570

trichocephalus 569-570

Thalassoma grammaticum 692 pavo 415 Thamnophis 373, 375-376 sauritus 235 sirtalis 118-121, 125-128 Thaumastomias atrox 343 Thecadactylus 634 Thryssa annandalei 479, 481-483 dussumieri 479, 481, 483 gautamiensis 479-483 hamiltonii 479, 481, 483 kammalensis 479, 481 kempi 479, 482-483 malabarica 482-483 mystax 479, 481-483 purava 483 rambhae 479, 482-483 setirostris 479, 481, 483 valenciennesi 482 vitrirostris 482-483 Thunnus alalunga 72-77 albacares 72-77 atlanticus 72-77 obesus 72-77 thynnus 72-77 Tilapia 13-16 aurea 13-16 galilaea 13-17 heudeloti macrocephala 13-17 mossambica 13-17, 182-185, 689 nilotica 13-17 tholloni 13-17 Tiliqua 765 multifasciata 766 occipitalis 766 scincoides 102-104, 219 marina 327-328 Tomodactylus 510, 513 nitidus 366 Trachichthys 168 Trachinocephalus myops 320 Trachurops crumenophthalmus 692 Trachycephalus nigromaculatus 82 Trachydosaurus rugosus 766 Tribolodon 189 Trichiurus lepturus 174-175 Trichodon trichodon 692 Trimeresurus albolabris 376 monticola 379 Trimma tevegae 36-37 Trionyx 373 spinifer 537, 541 Tripanurgos 375 Triprion petasatus 82, 84 Trophidophorus

queenslandiae 554-556

Tropidurus 376

Trygon rudis 338 Tupinambis 130 Tylototriton 763 Typhlops 373 spp. 377 Umainornata 218 notata 141-142 scoparia 218 Umbra pygmaea 235 Umbrina broussonnetii 300, 302, 304-305 canariensis 302, 305-306 canosai 300, 302, 304-305 cirrosa 301-302 coroides 300, 302, 304-305 dorsalis 302 dussumieri 302 galapagorum 302 milliae 300-306 phalaena 302 reedi 302, 304 roncador 302, 304 ronchus 300 undulata 302 xanti 302, 304 "Umbrina" gracilicirrhus 300 Ungaliophis 375 Upeneus grandisquamis 692 vittatus 692 Uracentron 375-376 Urolophus jamaicensis 471 Uromastix 130 Urosaurus ornatus 142-143 Urotheca 376 stansburiana 159-160, 208, 359, 361, 523, 527, 534-536, 596-613 stansburiana elegans 597, 612 stansburiana nevadensis 596, 612 stansburiana stansburiana 596-597, 608, 612 stansburiana stejnegeri 597, 612 stansburiana uniformis 596, 612

Xe

Xe

Xe

Xe

Xe

Vaillontia 737
Varanus 130
eremius 135, 533, 765
giganteus 766
gouldi 135
gouldi flavirufus 533
komodoensis 386
sp. 102–105, 143
varius 766
Vomerogobius
flavus 27–29, 31, 35–38
Vomeropsis 188

Xeneretmus latifrons 692 Xenichthys xanti 692 Xenoboa 375 Xenocys jessiae 692 Xenoophorus 11 captivus 8 erro 12 Xenopholis 375 Xenopus 417 Xenotoca 2, 9-10 eiseni 7

27,

sp. 7 variata 7 Xiphochilus robustus 766 Xiphophorus 170, 418, 420 helleri 282 maculatus 282

Zacco 189 Zebrasoma flavescens 766

### SUBJECT INDEX

ACTIVITY (see ECOLOGY)

AGE AND GROWTH, Amphibolurus isolepis 527-538; Chrysemys rubriventris 353-356; Gymnopthalmus speciosus 672-673; Macroclemys temmincki 652-656.

AIR BLADDER (see ANATOMY)

ALBINISM, several petromyzontid species (Ichthymyzon spp., I. castaneus, I. unicuspis, Lampetra aepyptera, L. lamottei, Petromyzon marinus) 176–178.

ALLOTYPES (see TYPES)

ANATOMY, Ameca splendens (anal fin and supports, cephalic lateralis system, gut, ovary, trophotaeniae) 3, 5-9; Clinidae (Clinus nemaptopterus, Cristiceps aurantiacus, Petraites fasciatus, Springeratus xanthosoma) 704; Melanocetus johnsoni 323; Rissola marginata (air bladder and associated muscles, vertebrae) 259-268; Simenchelys parasiticus 312-313.

r bladder, Rissole Sciaenidae 300–306. Rissola marginata 259-268;

alimentary tract, Notropis mekistocholas 451. barbels, Eustomias spp. (gibbsi, longibarba, patulus) 308; Sciaenidae (Ctenosciaena, Umbrina) (chin barbels) 302-304.

cephalic lateralis system, Ameca splendens 6; Gobiidae (Bollmannia, Microgobius, Palato-gobius, Vomerogobius) 31; Clinidae (western Indo-Pacific) 697-707.

development of internal organs and structures, Scombridae (Auxis, Euthynnus, Katsuwonus, Thunnus) 72-78.

ear, Basiliscus basiliscus 139-144.

functional, function of epiglottis related to sound production in Pituophis melanoleucus 752-754; function of soft-fin rays in teleost fishes 691-697.

maxilla, Thryssa gautamiensis 480.

nerve patterns, patterns of ramus lateralis accessorius of Freihofer in various fish families

osteology, Etheostoma caeruleum (caudal variation) 332-334; Gobiidae (Bollmannia boqueronensis, Microgobius microlepis, Palatogobius paradoxus) (caudal skeleton) 30; Geochelone spp. (chilensis, costaricensis, denticulata, elongata, hesterna) (shell and skeleton) 106-113; swollen bones in Caranx hippos, Chaetodipterus faber, Salmo gairdnerii, Trichiurus lepturus 174-175.

pelvic complex, Gasterosteidae (Culaea inconstans, Pungitius pungitius) (reduction)

photophores, Myctophidae (eight spp.) 41-53; Searsiidae (Sagamichthys, Persparsia) (ontogenetic changes in light-organ patterns) 440-448.

plastral element reduction, Claudius angustatus 151 - 152

pons moultoni, presence in various fish families (Arripididae, Kuhliidae, Kyphosidae, Pomatomidae, Scorpiidae, Stromateidae, Theraponidae) 167-168.

scales, Micropogon undulatus (development pattern) 331-332; Pterobrycon landoni (humeral scales) 179-181.

teeth, Eustomias (three spp.) 308; Gobiidae (Palatogobius paradoxus, Vomerogobius flavus) (vomerine teeth) 29, 36; Myctophidae (six spp.) 41–53; Poeciliidae (Poecilia sphenops complex in Mexico) 282-287.

b

CE

go

li

pe

tu

VC

COL

COL

COL

DES

DEV

DIS

ne

ra

EAR

ECO

ac

testis weights, Chaeturichthys sciistius, Cyprinus carpio, Fundulus heteroclitus, Gadus morrhua, Hypomesus (two spp.), Perca (two spp.), Phoxinus laevis, Tilapia (cight spp.) 13-17; Amphibolurus isolepis 532.

tubercles (nuptial), Etheostoma vitreum 735-738; Notropis spp. (gibbsi, trichroistius) 57. ANESTHESIA, Tilapia mossambica (effects on)

182 - 185.

ASSOCIATES (see ECOLOGY)

BEHAVIOR, Amphibolurus isolepis 527-536; Haemulon plumieri 328–330; Hypsypops rubicunda (reproduction, social, territorial) 295-299; Melaniris chagresi 341; Sceloporus jarrovii cyanostictus 94–96; Oedura ocellata 660–661; Uta stansburiana 600–601.

arboreal, Bufo valliceps 347-348.

breakdown of isolating mechanisms, Rana pipiens and Rana sylvatica 344. display, Anolis nebulosus (display analysis)

197-209; Uta stansburiana (push-up display) 159 - 160

knotting and coiling, Pelamis platurus 348-

learning, Caiman sclerops (T-maze) 557-560. pit excavation, Rana catesbeiana 751-752. seasonal, Terrapene c. carolina (winter) 758-

social, relation to color in reef fishes 330-331. temperature, Amphibolurus barbatus (effect of temperature on behavior) 484-497

territorial, Dendrobates granuliferus 365-369. thermoregulatory, three lizard species (Dipso-saurus dorsalis, Sauromalus obesus, Sceloporus magister) 552-554.

tonic immobility, Rana pipiens 747-748. BIOCHEMISTRY, Goodeidae 9.

integumentary secretions, Gastrophryne carolinensis 351-353.

lactate dehydrogenase variation, Leurognathus marmoratus and Desmognathus (six spp.) 636-644.

BLOOD

cell lineage, Petromyzon marinus 722-728.

flow, two snakes (Liasis amethistinus, Morelia spilotes) 219.

hemoglobin, Goodeidae (particularly Ameca splendens and Xenophorus captivus (patterns) 3, 9.

BROOD SIZE (see REPRODUCTION)

CALL (see SOUND)

CHROMOSOMES, Ameca splendens 4, 8-9; Bathylagus milleri (female homogamety) 560-562; Gillichthys spp. (mirabilis, seta) 171-174; Sceloporus jarrovii cyanostictus 93. comparisons, Gambusia spp. (gaigei, hurtadoi, marshi, nobilis, regani, vittata) 566-569. CLASSIFICATION, Goodeidae 10-12; South

American Testudinae 114-115.

136:

80

inermis

air bladder, Sciaenidae (importance in classification) 300-301

barbels, Sciaenidae (importance in classification) 300-302

cephalic lateralis system, Gobiidae (Bollmannia, Microgobius, Palatogobius, Vomerogobius) 31-34.

gonad organization, Liopropoma 316-319; serranoid fishes 316-319

intestinal coiling, Cyprinidae (importance in classification) 460-461.

life history, Hylidae (importance of life history in classification) 78-89.

peritoneal pigmentation, Cyprinidae (importance in minnow classification) 460-461.

tubercles (nuptial), Etheostoma vitreum (importance in darter classification) 737-738.

vomerine teeth, Gobiidae (importance in goby classification) 27-38

COLOR (see PIGMENTATION) COMMENSALISM (see ECOLOGY) COMPETITION (see ECOLOGY)

a

0

.)

1)

6;

bs

1

us

ta

ia

is)

y)

8-

60.

8-

31.

ect

69.

so-

p-

ro.

ius

p.)

elia

eca

oat-

8-9:

ety)

eta) 93

doi,

outh

DESCRIPTIONS (not including new species), Amphisbaena gracilis 590-593; Corythoichthys profundus 319-320; Dasyatis rudis 338-341; Hyperoglyphe bythites 732-735; Melichthys spp. (niger, vidua) 463-465; Naso lopezi 321; Rachycentron canadum (prejuveniles and early juveniles) 65-71. DEVELOPMENT, (see ANATOMY)

DISTRIBUTION (not including new species), fishes of Harney River basin, Oregon 268-281; Amphibolurus isolepis 527-528; Amphisbaena gracilis 593-595; Cichlasoma man-aguense 186; Dasyatis rudis 338-341; Enulius oligostichus 350-351; Eustomias spp. (gibbsi, longibarba, patulus) 310; Luvarus imperialis 181-182; Melaniris chagresi (in Gatun Lake, Panama) 341-342; Notropis trichroistius 58, 62; Persparsia 448; Poecilia sphenops com-plex (Mexico) 282-283; Pungitius spp. (pungitius, platygaster) 708-709; Rana sylvatica (striped phenotype in Minnesota) 253-259; Sagamichthys schnakenbecki 447; Stereochilus marginatus 234.

new records, Hyperoglyphe bythites 732-735; Paralichthys squamilentus (South Carolina) 729-730; Stemonosudis rothschildi (Carib-

bean Sea) 738-741.

range extensions, Carapus bermudensis (northern Gulf of Mexico) 730-731; Corythoichthys profundus (western Caribbean) 319–320; Dicentrarchus punctatus (Gulf of Suez) 741-743; Naso lopezi (Hawaii) 320-322; Simenchelys parasiticus (north-central Pacific) 312-314.

EAR (see ANATOMY)

ECOLOGY, Oedura ocellata 658-659; Rachycentron canadum (prejuveniles and juveniles)

activity, Acris crepitans (fall and winter) 748-750; Amphibolurus isolepis (pattern of activity) 529-531; Hemidactylus frenatus (activity patterns) 631-635.

associates, Ameca splendens 9-10; Amphibolurus isolepis 536; Derilissus altifrons 293;

Etheostoma barbouri 26; Haemulon plumieri 329; Naso lopezi 320; Naucrates ductor (of Carcharhinus longimanus) 314-316.

commensalism, Carapus bermudensis (new host) 730-731.

competition, Amphibolurus Dipsosaurus dorsalis 136.

habitat, Ameca splendens 9; Amphibolurus inermis 134-135; Amphibolurus isolepis 528-529; Cnemidophorus spp. (inornatus, neomexicanus) (habitat preference) 357-359; Derilissus altifrons 293; Dipsosaurus dorsalis 134-135; Gunterichthys longipenis 164-167; Haemulon plumieri 328-329; Naso lopezi 320; Notropis gibbsi 62-63; Notropis mekistocholas 459-460; Oedura ocellata 660-661; Palatogobius paradoxus 34; Poecilia sphenops complex (Mexico) 284-285, 290; Pseudobranchus striatus (microhabitat selection related to oxygen and carbon dioxide) 247-252; Sceloporus jarrovii cyanostictus 94-96; Stereochilus marginatus 235; Vomerogobius flavus 37.

home range, Dascyllus aruanus 324-327. interaction of ecological and genetic factors, Rivulus marmoratus (resulting in change from hermaphrodites to males) 389-432.

interspecific relationships. Opistognathus aurifrons 469-473.

life history, Hylidae (numerous genera) (related to classification) 78-89; Macroclemys temmincki 645-658; Stereochilus marginatus

predators, Amphibolurus inermis 135-136; Dipsosaurus dorsalis 135-136.

reproduction, Corynopoma riisei 179-180; Etheostoma vitreum 736-737; Pterobrycon landoni 179-180.

survival, ability of tropical tadpoles to survive without water 364-365.

EGGS (see REPRODUCTION)

EVOLUTION, South American Testudinae 106-117.

FEEDING, Ameca splendens 9; Amphibolurus inermis 129-132; Amphibolurus isolepis 531-532; Dipsosaurus dorsalis 129-132; Gymnothorax pictus 570-574; Melaniris chagresi 341-343; Oedura ocellata 661-662.

FERTILIZATION

self fertilization, Rivulus marmoratus 389-432. FOOD, Ameca splendens 9; Amphibolurus 531-532; Ambystoma isolebis tigrinum (larvae) 614-624; Gymnothorax pictus 570-574; Oedura ocellata 661-662. FOSSILS, South American Testudinae 106-117.

GAS EXCHANGE (see PHYSIOLOGY)

GENETICS, Rivulus marmoratus 389-432.

GEOGRAPHIC LOCALITIES

Alabama, Cyclopsetta chittendeni 335; Notropis spp. (gibbsi, trichroistius) 55-64.

Appalachian region (see Southern Appalachian region)

Argentina, Geochelone spp. (chilensis, gringorum) 106; Testudo gringorum 111. Arizona, Pituophis melanoleucus 752-754; Uta

stansburiana 159-160, 596-613.

Asia (southeast)

Geochelone spp. (elongata, emys, forsteni,

impressa, travancorica) 114-115.

Australia, Amphibolurus barbatus barbatus 548-545; Amphibolurus isolepis 527-536; Dascyllus aruanus 324-327; Liasis amethistinus 209-220; Lygosoma spp. (decresiensis, entrecasteauxi, metallicum, mustelinum, quoyi) 554-556; Morelia spilotes 209-220; Trophidophorus queenslandiae 554-556.

Australia (New South Wales), Hyla spp. (ewingi, verreauxi) 154-156; Oedura ocellata

Australia (western), Amphibolurus inermis 129-137; Moloch horridus 129; Varanus spp.

(eremius, gouldi) 135.

Bahamas, Abudefduf saxatilis 330; Acanthostracion quadricornis 330; Acanthurus spp. (chirurgus, coeruleus) 330; Anisotremus vir ginicus 330; Caranx spp. (fusus, ruber) 329-330; Chaetodon spp. (capistratus, striatus) 330; Dasyatis americana 472; Derilissus nanus 291; Epinephelus striatus 469-473; Eupomacentrus spp. (dorsopunicans, variabilis) 330; Haemulon album 473; Haemulon spp. (aurolineatum, flavolineatum, melanurum, parrai, plumieri, sciurus) 328-330; Halichoeres bivittatus 469-473; Halichoeres garnoti 330, 469-473; Holacanthus ciliaris 330; Lachnolaimus maximus 330-331, 473; Lutjanus spp. (apodus, griseus) 330; Mala-canthus plumieri 469-473; Nystactichthys halis 473; Ocyurus chrysurus 330, 472-473; Opistognathus aurifrons 469-473; Pomacanthus arcuatus 330-331; Scarus coelestinus 330; Seriola dumerili 330; Synodus spp. 472; Urolophus jamaicensis 472; Vomerogobius flavus 31, 35-38.

California, Bufo boreas 145-147; Dipsosaurus dorsalis 359-361, 552-554; Gillichthys mirabilis 171-173; Hypsypops rubicunda 295-299; Pituophis melanoleucus 752-754; Sauromalus obesus 552-554; Sceloporus magister 552-554; Uta stansburiana 159-160, 596-613.

Canada (Wood Buffalo Park), Culaea inconstans 707-717; Pungitius pungitius 707-717.

Caribbean Sea, Bullisichthys caribbaeus 718-721; Ctenosciaena gracilicirrhus 304; Palato-gobius paradoxus 27-35; Priacanthus arenatus 176; Stemonosudis rothschildi 738-741; Umbrina coroides 302, 304; Umbrina milliae 300-306.

Chesapeake Bight, Hippoglossina oblonga 676-

Chile (Juan Fernandez Islands), Parapercis dockinsi 682-686.

Chile (oceanic localities), Hygophum bruuni 41-43; Protomyctophum (Hierops) chilensis 39-41.

Colombia, Geochelone hesterna 106-116; Pterobrycon landoni 179.

Colorado. Ambystoma tigrinum 614-624; Cnemidophorus tesselatus 157; Pimephales promelas 169; Uta stansburiana 596-613.

Costa Rica, Dendrobates granuliferus 365-369; Leptodactylus pentadactylus 364-365; Pterobrycon sp. 179-181; Sceloporus malachiticus 517-526; Testudo costaricensis 111, 113.

Cuba. Liopropoma aberrans 316-318.

Dominica, Apogon pillionatus 293; Derilissus

altifrons 291-294; Liopropoma carmabi 293; Paranthias furcifer 293; Pontinus nematophthalmus 293.

Ecuador (mainland), Hysteronotus megalostomus 181.

Ecuador (Galapagos Islands), Geochelone elephantopus 110-115.

Egypt (Gulf of Suez), Dicentrarchus punctatus 741-743

Europe, Geochelone eocenica 115.

Florida, Caranx hippos 175; Corythoichthys profundus 319; Gastrophryne carolinensis 351-353; Gunterichthys longipenis 164-166; Luvarus imperialis 181-182; Pseudobranchus striatus 247-252; Trichiurus lepturus 174-

Galapagos Islands (see Ecuador) Georgia, Notropis spp. (gibbsi, trichroistius)

Gulf of Guinea, Dasyatis rudis 338-341.

Gulf of Mexico, Rachycentron canadum 65-71. Gulf of Mexico (northern), Carapus bermudensis 730-731; Erotelis smaragdus civitatum 164; Gunterichthys longipenis 164–166; Hy-peroglyphe bythites 732–735. Gulf of Suez (see Egypt)

M

M

Mi

Mi

Ne

Ne

1

Ne

Ne

Nic

No C

50

p

S

n

11

2

0

p. 33

N

776

25

25

ne

di

fo

Nor

Ohio

Oreg

No

Hawaii, Dactylopterus orientalis 320; Hemidactylus garnotii 152-154; Lagocephalus hepselogeneion 320; Naso spp. (annulatus, incipiens, lopezi) 320-321; Parupeneus chrysonemus 322; Priacanthus spp. 320; Pristipo-moides microlepis 320; Trachinocephalus myops 320.

Hawaii (oceanic localities), Myctophum selenoides 43-45.

Hong Kong, Gymnothorax spp. (favagineus, schistmatorhynchus, undulatus) 175.

Illinois, Acris crepitans 748-750.

India, Thryssa spp. (annandalei, dussumieri, hamiltoni, kammalensis, gautamiensis, mystax, setirostris) 479-483.

Indiana, Acris crepitans 551-552.

Indian Ocean, Stemonosudis rothschildi 738-

Ireland, Gasterosteus aculeatus 707-717; Pungitius pungitius 707-717.

Israel (Mediterranean Sea), Dicentrarchus spp. (labrax, punctatus) 741-743.

Juan Fernandez Islands (see Chile)

Kansas, Agkistrodon contortrix 118-128; Carphophis vermis 148; Coluber constrictor 118– 128; Crotalus horridus 118–128; Elaphe obsoleta 118-128; Lampropeltis calligaster 118-128; Natrix sipedon 118-128; Pituophis melanoleucus 118-128; Terrapene o. ornata 760-761; Thamnophis sirtalis 118-128.

Kentucky, Etheostoma spp. (bellum, barbouri, blennioides, caeruleum, flabellare, nigrum, obeyense, spectabile, squamiceps, stigmaeum, virgatum, zonale, [Ulocentra] sp. 18, 21-26; Lampetra aepyptera 177; Moxostoma (Thoburnia) atripinne 26; Percina (Hypohomus) sp. 26.

Louisiana, Desmognathus fuscus 345-347; Macroclemys temmincki 645-658.

Massachusetts, Chrysemys rubriventris 353-356. Mexico, Algansea 9-10; Ameca splendens 1-12; Anolis nebulosus 197-208; Astyanax fasciatus 285; Ataeniobius 10; Batrachoides gilberti 437; Centrophryne spinulosa 322-324; Chapalichthys 9; Characodon 10; Chirostoma jordani 9; Cichlasoma sp. 285, 437; Enulius spp. (flavitorques, oligostictus) 350; Gillichthys seta 171-173; Gobiosoma yucatanum 432-439; Goodea 9; Hemidactylus frenatus 631-635; Hubbsina turneri 11; Hybopsis 9; Hypsypops rubicunda 295-299; Ictalurus dugesi 9; Ilyodon 1-2; Lophogobius cyprinoides 437; Lupinoblennius dispar 437; Melanocetus johnsoni 322-324; Notropis 9; Pelamis platurus 348-350; Platypoecilus nelsoni 284; Poecilia spp. (butleri, formosa, latipunctata, mexicana (us), sphenops, sulphuraria) 282-290; Poeciliopsis spp. (infans, viriosa) 1, 9-10; Profundulus punctatus 285; Rana spp. (dunni, megapoda, montezumae, pipiens) 505-515; Sceloporus spp. (cyanogenys, poinsettii poinsettii, j. jarrovii, j. erythrocyaneus, j. immucronatus, j. lineolateralis, j. minor, j. oberon, j. cyanostictus, ornatus ornatus) 89-98; Sicydium multipunctatum 285; Skiffia spp. (lermae, variegata) 9, 11; Xenotoca 9; Zoogoneticus quitzeoensis 9.

Mexico (oceanic localities), Loweina laurae 45-47.

Mexico (Arrowsmith Bank), Corythoichthys profundus 319.

5)

n-

m

y-

ıi-

115

us, rv-

00-

lus

se-

us,

eri.

ny.

38-

un-

spp.

Car-

118-

phe

ister

phis

nata

ouri.

rum,

eum,

1-26;

Tho-

mus)

-347;

-356.

1-12:

ciatus

lberti

Michigan, Ichthyomyzon spp. 177-178; Lampetra lamottei 177-178; Petromyzon marinus 177-178, 722-728; Plethodon cinereus 161-162; Rana spp. (clamitans, pipiens) 221-228.

Minnesota, Rana spp. (pipiens, septentrionalis, sylvatica) 253-258.

Missouri, Etheostoma caeruleum 332-334.

Nevada, Uta stansburiana 596-613. New Mexico, Cnemidophorus spp. (inornatus,

neomexicanus) 357-359; Uta stansburiana 596-613

York, Chelydra serpentina 755-758; Petromyzon marinus 176,

New Zealand, Eleotris radiata 731; Gobiomorphis spp. (huttoni, radiata) 731; Grahamichthys radiatus 731.

Nicaragua, Carcharhinus leucas 336; Cichlasoma spp. (citrinellum, managuense) 186;

Gobiomorus dormitor 186. North America (western), Crotaphytus wislizenii 135; Dipsosaurus dorsalis 129-137; majusculus 114; Phrynosoma Geochelone platyrhinos 129.

North Carolina, Acris gryllus 235; Agkistrodon spp. (contortrix, piscivorus) 235; Amphiuma means 235; Chologaster cornuta 235; Clemmys guttata 235; Desmognathus auriculatus 235; Diadophis punctatus 235; Enneacanthus obesus 235; Esox americanus 235; Lampropeltis getulus 235; Micropogon undulatus 331; Natrix spp. (fasciata, rigida) 235; Notropis spp. (alborus, mekistocholas, procne, volucellus) 449-461; Pseudotriton montanus 235; Rana spp. (pipiens, virgatipes) 235; Seminatrix pygaea 235; Siren intermedia 235; Stereochilus marginatus 234-246; Tham-nophis sauritus 235; Umbra pygmaea 235.

North Dakota, Ambystoma spp. (tigrinum, t. diaboli, t. melanostictum) 743-747.

Ohio, Bufo spp. (americanus, woodhousii fowleri) 750-752.

Oregon, Acrocheilus alutaceus 270-271, 273-

274, 279-280; Catostomus columbianus 273. 275, 278-280; Catostomus columbianus hubbsi Catostomus macrocheilus 271-276, 279-280; Catostomus platyrhynchus 273, 280; Cottus bairdi 270, 273, 277; Cottus bairdi punctulatus 277; Cottus bairdi semiconfusus 273, 280; Cottus beldingi 273; Cottus confusus 273, 280; Cottus hubbsi 277; Cottus rhotheus 273, 277; Cyprinus carpio 275–278; Gila bicolor 273, 280; Ictalurus spp. (melas, nebulosus, punctatus) 278; Lampetra tridentata 273; Lepomis spp. (gibbosus, macrochirus) 278; Micropterus spp. (dolomieui, salmoides) 278; Oncorhynchus nerka 278; Pomoxis annularis 278; Potamocottus bendirei 277; Prosopium williamsoni 273; Ptychocheilus oregonensis 270-274, 276, 279–280; Rhinichthys spp. (cataractae, osculus, umatilla) 272–274, 276–277, 279–280; Salmo spp. (clarkii henshawi, clarkii lewisi, gairdnerii) 273, 277-278; Salvelinus fontinalis 278.

Pacific Ocean (Indo-west), Clinus nematopterus 697-707; Springeratus xanthosoma 697-707.

Pacific Ocean (mid-ocean localities removed from land), Carcharhinus longimanus 314-316; Diaphus rolfbolini 47-49; Lampanyctus spp. (fernae, simulator) 50-53; Naucrates ductor 314-316; Remora remora 314; Stemonosudis rothschildi 738-741.

Pacific Ocean (north-central), Simenchelys pacificus 312-313.

Pacific Ocean (west-central), Eustomias gibbsi 307-311.

Brachyrhaphis spp. (cascajalensis, episcopi) 170; Gephyrocharax intermedius 179; Gonatodes albogularis fuscus 670-675; Gymnopthalmus speciosus 670-675

South America (northern), Geochelone spp. (carbonaria, denticulata) 106.

South Carolina, Paralichthys squamilentus 729-730; Rana catesbeiana 362-364.

Southern Appalachian region, plethodontid marmoratus, salamanders (Leurognathus Phaeognathus hubrichti, Desmognathus spp. [fuscus, monticola, ochrophaeus, quadramaculatus, wrighti]) 636-644.

Surinam, Chelonia mydas 624-631; Dermochelys coriacea 624-631; Lepidochelys oliv-

acea 624-631.

Tennessee, Etheostoma spp. (bellum, barbouri, blennioides, caeruleum, flabellare, nigrum, obeyense, spectabile, squamiceps, stigmaeum, virgatum, zonale, [Ulocentra] sp. 18, 21-26; Moxostoma (Thoburnia) atripinne 26; Percina (Hypohomus) sp. 26.

Texas, Anolis carolinensis 150; Bufo valliceps 150, 347; Cyclopsetta spp. (chittendeni, decussata) 335; Phrynosoma cornutum 150; Pseudemys scripta elegans 150; Rana spp. (catesbeiana, pipiens) 150; Pituophis melanoleucus 752-754.

Utah, Uta stansburiana 159-160, 596-613. Venezuela, Amphisbaena gracilis 589-595.

Virginia, Etheostoma vitreum 735-738; Stereochilus marginatus 235.

Virgin Islands, Palatogobius paradoxus 27-35. Wisconsin, Bufo americanus 545-548; Chrysemys picta belli 537, 542.

GONADS (see ANATOMY) GRAFTING, Hemidactylus garnotii 152-154.

HABITAT (see ECOLOGY) HEART RATE (see PHYSIOLOGY) HEMOGLOBIN (see BLOOD)

HERMAPHRODITISM, Plethodon cinereus 161; Rivulus marmoratus 389-432.

ear, Basiliscus basiliscus 139-144.

gonads, Liopropoma spp. (mowbrayi, rubre) 317-318; Melanocetus johnsoni 323; Rivulus marmoratus 391.

integument, Gastrophryne carolinensis 351-

spermatophore, Desmognathus fuscus 346. swimbladder, Katsuwonus pelamis 74.

HOLOTYPES (see TYPES)

HOME RANGE (see ECOLOGY)
HYBRIDIZATION, Goodcidae 7-8; Poecilia
sphenops (with P. butleri and P. mexicana) 285-289.

relation to habitat, Cnemidophorus inornatus and C. neomexicanus 357-359.

INTERACTION (see ECOLOGY)

INTERGRADATION, Uta stansburiana subspp. 596-613.

INTERSEXUALITY, in fishes 412–432. ISOLATING MECHANISMS

breakdown, in behavioral isolation between Rana pipiens and Rana sylvatica 344.

### KARYOTYPES (see CHROMOSOMES)

LARVAE, Hippoglossina oblonga 676-681; Rachycentron canadum 65-71; Simenchelys parasiticus 312-314; Stereochilus marginatus 235-239.

LATERAL-LINE SYSTEM (see ANATOMY) LEARNING, Caiman sclerops 557-560.

LECTOTYPES (see TYPES) LIFE HISTORY (see ECOLOGY)

MARKING (see TAGGING)

MERISTICS (not including new species), Amphisbaena gracilis 591; Cyclopsetta chit-tendeni 335; Dicentrarchus spp. (labrax, punctatus) 741-743; Etheostoma spp. (bar-bouri, obeyense, virgatum) 21-25; Eustomias patulus 309-310; Gunterichthys longipenis 164; Luvarus imperialis 182; Melichthys spp. (niger, vidua) 466; Notropis trichroistius 59-61; Stemonosudis rothschildi 739-740;

Thryssa (seven spp.) 481–482. METAMORPHOSIS, Rana catesbeiana (orientation during metamorphosis) 362-364; Simenchelys parasiticus 312-314.

MIGRATION, Carcharhinus leucas (between Caribbean Sea and Lake Nicaragua) 336-

MORPHOLOGY, Amphibolurus inermis 135; Amphisbaena gracilis 590-594; Clinus nemaptopterus 699-700; Dasyatis rudis 338-341; Dipsosaurus dorsalis 135; Enulius oligostichus 350-351; Poecilia spp. (butleri, mexicana, sphenops) 285-290; Rachycentron canadum

(prejuvenile and juvenile) 65-71; Springeratus xanthosoma 700-705; Uta stansburiana 600.

MORPHOMETRICS, Cyclopsetta chittendeni 335; Enulius oligostichus 351; Eustomias patulus 310; Luvarus imperialis 182; Melichthys 467-468.

MOVEMENT, Rana pipiens (environmental influence following metamorphosis) 221-228.

swimming, Chelonidae (Caretta c. caretta, Chelonia mydas, Eretmochelys i. imbricata, Lepidochelys kempii) (mechanics of swimming) 229-233; Gunterichthys longipenis 164-166.

NERVES (see ANATOMY)

NOMENCLATURE, Gadidae (genus Phycis) 327-328; Springeratus xanthosoma 705-706. publication dates, emended dates for certain Cope fish species (1862-1869) 474-479.

ORIENTATION, Rana catesbeiana (during metamorphosis) 362-364. OSMOREGULATION (see PHYSIOLOGY) OSTEOLOGY (see ANATOMY)

PALEONTOLOGY (see FOSSILS)

PARASITISM, ceratoid fishes (males on females) 322-324; Oedura ocellata 662.

ectoparasites, Ctenopoma multispinis (gill parasites) 185; Luvarus imperialis 182. protozoans, Rana pipiens (removal of parasites from larvae) 557

PARATYPES (see TYPES)

PARTHENOGENESIS, Cnemidophorus (neomexicanus, tesselatus, uniparens) 158; Rivulus marmoratus 389-432.

PHOTOPHORES (see ANATOMY)

PHYSIOLOGY

aquatic gas exchange, Pseudobranchus striatus 247-252.

ear, Basiliscus basiliscus 139-144.

heart rate, Terrapene o. ornata 760-761; two snake species (Liasis amethistinus, Morelia spilotes) (related to body temperature and activity) 212-220.

osmoregulation, Carassius auratus (overcompensation to freezing temperatures) 686-691. skin secretion, Phrynomerus bifasciatus (tox-

icity) 160-161.

temperature (ambient), Amphibolurus barbatus (effects of changes in temperature on behavior) 484-497; Amphibolurus isolepis (related to activity) 529–530; Bufo spp. (americanus, woodhousii fowleri) 750–751; Ctenosaura hemilopha (cutaneous vascular responses to temperature changes) 548-551; Phrynosoma spp. (cornutum, douglassii) (effects on oxygen consumption and heart rate) 498-504; two lizard species (Amphibolurus inermis, Dipsosaurus dorsalis) (thermoregulation) 132-134; six lizard species (Lygosoma decresiensis, L. mustelinum, L. metallicum, L. entrecasteauxi, L. quoyi, Trophidophorus queenslandiae) (maximal thermal tolerance) 554-557.

temperature (body), three sea turtle species (Chelonia mydas, Dermochelys coriacea,

to

PIG

sex str PON

PRE

PRE

col

fu

pr

va

POL

PUB RAD

1

to 7 RELA b (1

E

tr 4 P 29 Sc Jo se

gr ro Ai 48

Lepidochelys olivacea) (body and egg) 624-631; five reptile species (Amphibolurus barbatus, Iguana iguana, Pituophis catenifer affinis, Tiliqua scincoides, Varanus sp.) (related to heart rate and oxygen consumption) 98–106; three lizard species (Dipsosaurus dorsalis, Sauromalus obesus, Sceloporus obesus, magister) (thermoregulation) 552-554; two snake species (Liasis amethistinus, Morelia spilotes) (heat distribution patterns: head, esophagus, intestine) 209-220.

tonic immobility, Rana pipiens 747-748. water balance, Ambystoma tigrinum (desiccation) 743-747; Spalerosophis cliffordi 754-755

PIGMENTATION (including COLOR), crepitans (striped pattern stability) 551-552; Ameca splendens 5-6; Bullisichthys caribbaeus 720; Corythoichthys profundus 320; Etheostoma spp. (barbouri, obeyense, virgatum) 23 (and color photo opposite 19); Gunterichthys longipenis (young) 164-165; Hippoglossina oblonga (larvae) 677-680; Melichthys spp. (niger, vidua) 463-465; Naso lopezi 321; Palatogobius paradoxus 32; Parapercis dockinsi 684-685; Thryssa gautamiensis 480; Vomerogobius flavus 36.

function, in reef fishes 330-331 preservation (color), frogs 356-357.

variation, Cyclopsetta chittendeni 335-336. POLYMORPHISM, Brachyrhaphis episcopi 170-

171. sexual dimorphism, ceratoid fishes 322-324; Rissola marginata (air bladder) 259-268. stripe pattern, Acris crepitans 551-552; Rana

sylvatica 253-259. PONS MOULTONI (see ANATOMY)

PREDATORS (see ECOLOGY)

PRESERVATION color, in frogs 356-357.

n

ıg

28)

ill

tes

tus

two

elia

and

om-

691.

tox-

atus

be-

(re-

spp.

ular

-551;

(ef-

rate)

lurus

gula-

soma

cum,

porus

ance)

pecies

iacea,

PUBLICATION DATES, species described by E. D. Cope (1862-1869) 474-479.

RADIOTELEMETRY, snake eight species (Agkistrodon contortrix, Coluber constrictor, Crotalus horridus, Elaphe obsoleta, Lampropeltis calligaster, Natrix sipedon, Pituophis melanoleucus, Thamnophis sirtalis) 118-128; Terrapene o. ornata 760-761.

RELATIONSHIPS, Ameca splendens 3; Amphisbaena gracilis 593-595; Basiliscus basiliscus (based on ear) 139-144; Bullisichthys carib-(based on ear) 139-144; Buttistenthys carib-baeus 719; Deritissus altirons 293-294; Etheostoma barbouri 23-25; Gobiosoma yucatanum 488-439; Helicolenus 577-579; Liopropoma 316-319; Notropis spp. (gibbsi, trichroistius) 63; Notropis mekistocholas 457-459; Palatogobius paradoxus 33-34; Poecilia sphenops complex (in Mexico) 289-290; Sceloporus jarrovii subspp. 93-94; Dendrophysa, (Ctenosciaena, Sciaenidae Johnius, Menticirrhus, Umbrina) 300-306; serranoid families (Grammistidae, Pseudogrammidae, Serranidae) 318; Stemonosudis rothschildi 738-741; Testudinae (South America) 114-115; Thryssa gautamiensis 482-483; Uta stansburiana 596-613; Vomerogobius flavus 36-37.

REPRODUCTION, Amphibolurus inermis 135-136; Amphibolurus isolepis 531-533; Dipsosaurus dorsalis 135-136; Goodeidae 7-8; Macroclemys temmincki 645-652; Oedura ocellata 662; Plethodon cinereus 161-162.

cycles, Sceloporus malachiticus 517-526; Stereochilus marginatus 239-243.

patterns, two lizards (Gonatodes albogularis fuscus, Gymnopthalmus speciosus) 673-674. survival, Chelydra serpentina (siamese twins) 755-758.

SCALES (see ANATOMY)

SOUND (including CALLS and VOCALIZA-TION

air bladder, Rissola marginata (relationship of air bladder and associated muscles to sound production) 259-268.

classification, Rana pipiens complex (classification of call types) 505-516.

function, Pituophis melanoleucus (function of epiglottis) 752-754.

vocalization, Hyla spp. (ewingi, verrauxi) 154-

SPERM

storage, Desmognathus fuscus 345-347. STAINING nerves, fishes (nerve staining techniques) 574-

576 SURVIVAL (see ECOLOGY)

SWIMMING (see MOVEMENT) SYNONYMIES, Balsadichthys = Ilyodon 10; Cyclopsetta decussata = Cyclopsetta chit-= Ilyodon 10; tendeni 335-336; Helicolenus tristanensis = Sebastes mouchezi 577-578; Lermichthys = Girardinichthys 10; Neotoca and Ollentodon = Skiffia 10-11; Oncobalistes erythropterus and Pachynathus nycteris = Melichthys vidua 467-468; Rhinichthys umatilla = Rhinichthys osculus 273; Skiffia variegata = Skiffia lermae 11-12; Sphoeroides furthii = Sphoeroides trichocephalus 569-570.

SYNTYPES (see TYPES)

TAGGING

marking, in snakes, lizards, turtles, toads, and frogs 148-150.

tagging, Carcharhinus leucas 336-338. TAXONOMY (not including Amphisbaena gracilis 589-595; Cyclopsetta chittendeni 335-336; Dasyatis rudis 338-341; Goodeidae 1-13; Indo-Pacific Clinidae 697-707; Melichthys vidua 462-469; Notropis trichroistius 55-64; Persparsia 447-448; Poecilia sphenops complex (in Mexico) 282-290; Sagamichthys 445-447; Stemonosudis rothschildi 738-741; Uta stansburiana 596-

TEETH (see ANATOMY) TEMPERATURE (see PHYSIOLOGY)

TOXICITY (see ANATOMY-SKIN SECRE-TION

TUBERCLES (see ANATOMY)

TYPES, in Zoological Survey of India collection 343-344.

allotypes, Gobiosoma yucatanum 433.

holotypes (not including new species), Cottogobius bilobatus 344; Cyclopsetta decussata 335; Dermatorus melampeplus 343-344; Enulius oligostichus 351; Oncobalistes erythropterus 463; Pachynathus nycteris 463, 468; Paradicrolene vaillanti 344; Photogenis leucops engraulinus 478.

lectotypes, Photogenis leucops 478; Squalius photogenis 478.

lectoparatypes, Photogenis leucops 478.

paratypes, Ameca splendens 3; Bullisichthys caribbaeus 719; Cottogobius bilobatus 344; Diaphus rolfbolini 47; Diogenichthys panurgus 343; Eustomias gibbsi 307; Etheostoma barbouri 19; Gobiosoma yucatanum 433-434; Hygophum bruuni 41; Lampanyctus fernae 50; Lampanyctus fraser-brunneri 343; Lampanyctus simulator 52; Loweina laurae 45-46; Myctophum selenoides 43; Notropis gibbsi 55-56; Notropis mekistocholas 451; Parapercis dockinsi 682-683; Protomyctophum beckeri 39-40; Protomyctophum chilensis 39; Sceloporus jarrovii cyanostictus 90; Umbrina milliae 303; Vomerogobius flavus 37.

syntypes, Alepocephalus bicolor 343; Gavialiceps taeniola 343; Gymnapistus affinis 344; Macrurus investigatoris 343; Minous longipinnis 344; Photogenis leucops 478; Scianectes

lophoptera 344.

TYPE LOCALITIES (not including new species), Alepocephalus bicolor 343; Amphisbaena gracilis 589–590; Cottogobius bilobatus 344; Cyclopsetta decussata 335; Dermatorus melampephus 343–344; Enulius oligostichus 350–351; Gavialiceps taeniola 343; Gymnapistus affinis 344; Macrurus investigatoris

343; Minous longipinnis 344; Paradicrolene vaillanti 344; Scianectes lophoptera 344.

### VARIATION

lactate dehydrogenase, Leurognathus marmoratus, Phaeognathus hubrichti, Desmognathus spp. (aeneus, fuscus, monticola, ochrophaeus, quadranaculatus, wrighti) 636-644.

morphological, Bullisichthys caribbaeus (general) 720-721; Catostomus commersoni (lateral-line scales) 275-278; Cottus bairdi (body prickling and lateral-line development) 277-278; Cyclopsetta chittendeni (pigmentary variation) 335-336; Etheostoma caeruleum (caudal skeleton) 332-334; Gobiosoma yucatanum (general) 437-438; Rhinichthys osculus (maxillary barbels) 274-277; Richardsonius balteatus (anal rays) 277; Uta stansburiana 601-610.

seasonal, Dipsosaurus dorsalis (length-weight) 359-362.

VENOM, Agkistrodon contortrix (amount in relation to specimen size) 162–163.

## WATER BALANACE (see PHYSIOLOGY)

ZOOGEOGRAPHY, fishes of Harney River basin, Oregon 268–281; Amphisbaena gracilis 593–595; two scorpaenid fish genera (Helicolenus, Sebastes) 577–578; Notropis spp. (gibbsi, trichroistius) 63; South American Testudinae (genera Geochelone, Gopherus, Stylemys) 116. er lis o-op. an